



SCRUBBER DRIERS - WALK BEHIND

CT5

MAX PRODUCTIVITY

900 m²/h

BATTERIES
RUNNING TIME

75 min.

WATER TANK
RUNNING TIME

25 min.
working session

ECO SELECT

LI-ION
BATTERY

RDS
REVERSE DRY SYSTEM



INNOVATIONS



RDS
REVERSE
DRY
SYSTEM



ANC™
ADVANCED
NOISE
CONTROL



SLS™
SELF
LEVELING
SYSTEM



ECO
SELECT



LI-ION
LITHIUM
BATTERY

SPEC



CT5 CAN BE STORED, TRANSPORTED AND PARKED IN EVERY SPACE IN JUST FEW SECONDS.



RECHARGEABLE LITHIUM-ION BATTERY BOTH ON BOARD THE MACHINE AND EXTERNALLY



THE RDS ALLOWS TO WASH AND DRY EASILY EVEN IN POINTS WHERE OTHER MACHINES DO NOT REACH

MOST FREQUENTLY USED



RETAIL



HOSPITALITY



BUILDING SERVICE CONTRACTORS



TECHNICAL DATA

CT5 B28

PERFORMANCE

Max theoretical productivity	m ² /h	900
Cleaning path	mm	280
Water tank capacity (solution recovery)	l	5 - 5
Max running time	min	75
Voltage	V	36
Installed power	W	220
Brush pressure	kg	12
Squeegee width	mm	300
Max speed	km/h	3.5
Weight	kg	20.2
Dimension (LxWxH)	mm	758 x 376 x 392

CONSUMABLES

BRUSHES



SPPV02580 | POLYPROPYLENE (PP) SOFT BRUSH
 SPPV02438 | POLYPROPYLENE (PP) MEDIUM BRUSH
 SPPV02581 | POLYPROPYLENE (PP) HARD BRUSH

PADS (BOX OF 5)



SPPV02583 | 11" POLISH PAD - WHITE
 SPPV02584 | 11" BUFF PAD - RED
 SPPV02585 | 11" MEDIUM DUTY PAD - GREEN
 SPPV02586 | 11" STRIPPING PAD - BROWN
 SPPV02582 | PAD DRIVER

SQUEEGEE BLADES



KTRI06090 | LATEX BLADE
 KTRI06092 | LINATEX BLADE

IPC Australia
 Unit 11, 4 Southridge Street
 Eastern Creek NSW 2766

T: 1800 226 843 (FREE CALL)
 T: +61 2 9839 9700

E: contactanz@ipcworldwide.com
 W: www.ipcworldwide.com

IPC New Zealand
 Unit 5, 103 Cryers Road
 East Tamaki
 Auckland 2013

T: +64 9 253 9013
 F: +64 9 253 9015