



# Removing gum with ease. **Battery** or gas powered.





# Key **features**



#### No water or power supply

To operate the machine, just point the lance to the area or stains that need to be cleaned and watch the i-remove perform its magic.

i-remove G

#### Centralized controls

Centralized controls are located in the head of the machine. All of your actions, switches and controls are within the reach of your fingertips.

#### No matter which surface

powered i-remove machine, or a

gas canister fuelled machine.

Hardwood, soft floors, tarmac, doors, cabinets, plywood, concrete or steel. The i-remove operates at maximum capacity, and removes sticky residue anywhere and everywhere.







## Technical specifications

	i-remove® B	i-remove® G
	I-remove <sup>®</sup> B	
Weight excl. batteries	9.4 kg	9.4 kg
Size body (I x w x h)	34.7 x 33 x 50 cm	34.7 x 33 x 50 cm
Size with lance (I x w x h)	34.7 x 33 x 113 cm	34.7 x 33 x 113 cm
Gas capacity	-	2.6 kg/h
Tank capacity	2.5 L	2.5 L
Ignition battery Li-ion	-	i-power 7 battery*
Power of fan	-	DC 12 V   4 W
Heater specs	DC24 V 250 W	
Max. temperature	104 °C	104°C
Power source / battery type	i-power 9 or 14 battery*	Gas & Li-on batteries
Battery spec	25.2 V 14 Ah*	-
Runtime	80 min with i-power 9	8 hours on 2 gas cannisters
	100 min with i-power 14	& 1 fully charged battery
i-gum fluid consumption	+/- 2 liters per hour	+/- 2 liters per hour
Charger type	Off-board*	External plug-in
Charger	110-240V, 50/60Hz	110-240V, 50/60Hz
Charge time (i-charge 2)	5-6 hours for i-power 9	
	7-8 hours for i-power 14	
Charge time (i-charge 9)	60-70 min for i-power 9	
	90-100 min for i-power 14	

<sup>\*</sup> Battery and charger can be ordered separately.



### i-teamglobal.com